Response to Office Action Dated 11/03/2005

S/N 09/824,903

1

2

3

6

7

8

5

9

12

11

14

16

17

18

19 20

21

23 24 25

REMARKS

A review of the claims indicates that:

- A) Claims 1, 2 and 4—22 remain in their original form.
- B) Claims 1, 2 and 4—22 are currently in a state of final rejection.

In view of the following remarks, Applicant respectfully requests reconsideration of the rejected claims.

The Lin Reference

The Lin reference discloses a way to calibrate a network copy system (see Lin, at Title). Lin provides a technique to minimize variations in output images generated by different output devices (col. 9, lines 33—35). Lin notes that two printers of the same model can produce different output (col. 9, lines 15—18 and 27—30). In particular, Lin teaches that a reference device may be selected, while the other devices are considered non-reference devices (col. 9, lines 37—43). Four 1-D look-up tables are created for each non-reference printer, so that the output of these printers is the same or very similar to the reference printer, i.e. the non-reference printers are calibrated to the reference printer (Abstract and other locations).

The Concept of a Least Dynamic Printer

The Applicant believes that a brief discussion of printer dynamics and the concept of "a least dynamic printer" would be helpful.

Referring briefly to the Applicant's Fig. 4 and page 9 of the specification, a graphical representation 400 of a CIELab color space is

3

ı

6

8

9

5

10

11

12

13 14

16

17

15

18

19

20

21

22

23 24

25

LER & HAVES, PLIC

Response to Office Action Dated 11/03/2005

seen. A closed loop 402 represents a three-dimensional form enclosing the color gamut required for ideal printing of a color target. A second curve 404 represents the gamut printable by a particular printer. Note that the curve 404 is 'outside' of the loop 402; therefore, the printer having gamut 404 is fully able to print the target associated with the gamut 402. A third curve 406 is 'inside' curve 402. Accordingly, a printer having the gamut 406 is

not fully able to print the target associated with the gamut 402. By

comparison, the printer associated with the gamut 406 is less dynamic than

the printer associated with the curve 404.

In another example, Fig. 5 and page 10—11 of the spec shows curves 506, 508 and 510 associated with three printers. Note that curve 506 is 'lighter' for all input values, than curves 508 and 510. The 'lighter' print means that the printer is less able to put the required amount of ink on the paper, and therefore has less dynamic range. Therefore, curve 506 is associated with the printer having the least dynamic range within the group of three printers. (See page 10, lines 19—25.)

Thus, a less dynamic printer has a 'less dynamic' range, and is therefore less able to respond to some print data in the correct manner, as compared to a more dynamic printer. Thus, within a group of printers, a least dynamic printer is least able to print certain aspects of a print target or other print output.

Response to Office Action Dated 11/03/2005

2

1

5

6

7

9 10

11

12

14

15 16 17

18 19

20

21

22 23

25

Note that, within different parts of a print gamut, different printers may be 'least dynamic.' Additionally note that color look-up tables could be used by non-least dynamic printers, to result in the same printout as the least dynamic printer.

The discussion of this section is not meant to interpret or limit the claims. Instead, this section is meant to provide general knowledge about printer dynamics.

The §102 Standard

According to the MPEP §2131, a claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference. The identical invention must be shown in as complete detail as is contained in the claim.

Anticipation is a legal term of art. The applicant notes that in order to provide a valid finding of anticipation, several conditions must be met: (i) the reference must include every element of the claim within the four corners of the reference (see MPEP §2121); (ii) the elements must be set forth as they are recited in the claim (see MPEP §2131); (iii) the teachings of the reference cannot be modified (see MPEP §706.02, stating that "No question of obviousness is present" in conjunction with anticipation); and (iv) the reference must enable the invention as recited in the claim (see MPEP §2121.01). Additionally, (v) these conditions must be simultaneously satisfied.

The §102 rejection of claims 1—9, 12—13 and 15—21 is believed to be in error. Specifically, the PTO and Federal Circuit provide that §102

antici

Response to Office Action Dated 11/03/2005

anticipation requires that <u>each and every element</u> of the claimed invention be disclosed in a single prior art reference. In re Spada, 911 F.2d 705, 15 USPQ2d 1655 (Fed. Cir. 1990). The corollary of this rule is that the absence from a citcd §102 reference of <u>any</u> claimed element negates the anticipation. Kloster Speedsteel AB, et al. v. Crucible, Inc., et al., 793 F.2d 1565, 230 USPQ 81 (Fed. Cir. 1986).

The applicant notes the requirements of MPEP §2131, which states "to anticipate a claim, the reference must teach every element of the claim." This MPEP section further states that "A claim is anticipated only if each and every element as set forth in the claim is found, either expressly or inherently described, in a single prior art reference.' Verdegaal Bros. v. Union Oil Co. of California, 814 F.2d 628, 631, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987). 'The identical invention must be shown in as complete detail as is contained in the ... claim.' Richardson v. Suzuki Motor Co., 868 F.2d 1226, 1236, 9 USPQ2d 1913, 1920 (Fed. Cir. 1989). The elements must be arranged as required by the claim, but this is not an ipsissimis verbis test, i.e., identity of terminology is not required. In re Bond, 910 F.2d 831, 15 USPQ2d 1566 (Fed. Cir. 1990)."

Traversal of the §102 Rejections

Claims 1—9, 12—13 and 15—21 were rejected under §102(e) as being anticipated by U.S. Patent No. 6,404,511, hereinafter "Lin." In response, the Applicant respectfully traverses the rejection.

Response to Office Action Dated 11/03/2005

S/N 09/824,903

Claim 1 recites calculating look-up tables for a cluster of printers comprising:

- determining a least dynamic printer in the cluster; and
- calculating corrected input values required to normalize an output of at least one non-least dynamic printer in the cluster.

The Applicant's claim recites, "determining a least dynamic printer in the cluster". This step is an improvement upon Lin, who discloses no particular method by which a reference printer is selected. Not only does Lin fail to disclose the recited step of "determining a least dynamic printer in the cluster", but Lin fails to disclose any method by which the reference printer is selected.

Referring to Lin at column 9, lines 41—43, Lin arbitrarily selects a printer without any strategy, goal and/or calculation. The plain language of Lin indicates that a reference printer is selected arbitrarily. In particular, Lin says:

"One of the printers, say, printer 30A, is a reference printer, and the other printers, printers 30B and 30C in this case, are non-reference printers."

Thus, Lin does not disclose, "determining a least dynamic printer in the cluster". That is, Lin is silent with respect to any step wherein a reference printer is determined. Therefore, it appears to be the case that Lin simply chooses one of the printers to be the reference printer—without disclosing any effort, calculation

15093238979 TO 15712738300

or contemplation of selecting the least dynamic printer. Thus, Lin does not disclose a step comprising determining a least dynamic printer in the cluster.

The Patent Office suggests that the reference printer 30A, the Abstract and columns 9—11 in Lin disclose "determining a least dynamic printer in the cluster". The Applicant respectfully disagrees.

As seen above, Lin's printer 30A is a reference printer. However, the fact that Lin has a reference printer does not mean that Lin discloses, "determining a least dynamic printer in the cluster". In fact, Lin fails to disclose at least this element recited by the claim, thereby frustrating the Patent Office's claim of anticipation.

The Patent Office suggests that columns 9—11 disclose, "determining a least dynamic printer in the cluster". The Applicant respectfully disagrees.

Columns 9—11 disclose the concept of a reference printer (e.g. column 9, lines 41—43). However, Lin does not disclose how that printer was selected. In particular, Lin does not disclose that the reference printer was selected because it is the least dynamic printer of the group.

On page 6 of the Office Action mailed 11/03/2005, the Patent Office appears to suggest that the reference printer selected by Lin could have been the least dynamic printer of the group of printers, and that therefore Lin anticipated the Applicant's claim. However, Lin fails to disclose a step of "determining a least dynamic printer in the cluster". Therefore, whether Lin's selected printer 30A is, or is not, the least dynamic printer is irrelevant—since Lin fails to disclose

dynamic printer.

15093238979 TO 15712738300

2

4

1

G

7

8

5

9

12 13

11

14 15

16 17

18

19

22 23

21

24

the step of determining which printer is the least dynamic. That is, while Lin discloses a reference printer, and selection of such a printer is implied, Lin does not (1) disclose a method by which the printer is selected, and therefore does not (2) disclose a step whereby determination is made of which printer is a least

As seen by reference to Claim 1, the Applicant explicitly recites, "determining a least dynamic printer in the cluster". Therefore, Lin fails to disclose each and every element recited by Claim 1. Accordingly, the claim is not anticipated. The Applicant respectfully requests that the Patent Office remove the section 102 rejection.

Claim 2 depends from Claim 1 and is allowable due to its dependence from an allowable base claim. This claim is also allowable for its own recited features that, in combination with those recited in Claim 1, are neither disclosed nor suggested in references of record, either singly or in combination with one another.

Claim 3 was previously cancelled.

Claim 4 recites:

 wherein a least dynamic printer is determined for each primary color.

In general, the Lin reference does not determine a least dynamic printer. In particular, Lin does not determine a least dynamic printer for each primary color.

Response to Office Action Dated 11/03/2005

 The Patent Office suggests that col. 10, lines 44—60 disclose the recited subject matter. The Applicant respectfully traverses the rejection.

Column 10 discloses that transfer functions for each primary color are calculated, and that the non-reference printers may be calibrated to the reference printer. However, Lin does not disclose determining a least dynamic printer generally, and does not disclose "wherein a least dynamic printer is determined for each primary color". Additionally, Lin does not disclose how primary colors are at all involved in the selection of a reference printer.

The Patent Office fails to show how Lin's reference to primary colors has anything to do with determining a least dynamic printer for each primary color.

In fact, what Lin is doing is mapping the non-reference printers to the reference printer for each color.

Lin is not finding a least dynamic printer for each color.

Also, Lin discloses only one reference printer, not one for each primary color.

Therefore, the Lin reference fails to disclose elements recited in the Applicant's claim. Accordingly, the Applicant respectfully requests that the rejection be removed.

Claims 5 and 6 depend from Claim 1 and are allowable due to their dependence from an allowable base claim. These claims are also allowable for their own recited features that, in combination with those recited in Claim 1, are neither disclosed nor suggested in references of record, either singly or in combination with one another.

Response to Office Action Dated 11/03/2005

S/N 09/824,903

14 15

12

13

17 18

16

20 21

19

22 23 24

25

Claim 7 recites a method for calibrating a cluster of printers comprising:

- printing a calibration target with each printer in the cluster;
- measuring each calibration target to produce measurement data;
- calculating transfer functions for each printer in the cluster;
- determining a least dynamic printer in the cluster;
- calculating corrected input values required to normalize output of non-least dynamic printers in the cluster;
- organizing the corrected input values into look-up tables; and
- sending the look-up tables to each printer within the cluster.

Due to similarities between Claims 1 and 7, the remarks with respect to the rejection of Claim 1 are incorporated herein by references.

Claim 7 recites, "determining a least dynamic printer." This step, by which a reference printer is selected, is not disclosed by the Lin reference. In fact, Lin is generally silent about how the reference printer is selected.

The Patent Office suggests that the reference printer 30A is analogous to the least dynamic printer. The Applicant respectfully disagrees.

Lin does not disclose any step by which the reference printer is determined. Lin simply assigns one of the printers to be the reference (see column 9, line 41).

Lin does not disclose any step involving "determining a least dynamic printer in the cluster". (Refer to entire Lin reference. "Least dynamic" or similar is simply not disclosed by Lin.)

The reference printer disclosed by Lin is not selected to be a "least dynamic printer." While the Applicant's least dynamic printer is a reference printer, the reference printer of Lin is not necessarily a least dynamic reference printer. In fact, Lin does not discuss the concept of a "least dynamic printer." Moreover, Lin

2 3

5 6

7

8

4

9

10

12

13

11

14

15 16

17

18 19

20

21

22

23 24

25

Response to Office Action Dated 11/03/2005

does not disclose any selection process by which the "least dynamic" printer within the cluster is determined. Lin simply selects a printer (the reference printer, column 9, line 41), and then calibrates the non-reference printers to that printer (Abstract, first two lines).

Therefore, the Lin reference fails to disclose elements recited in the Applicant's claim. Accordingly, the section 102 rejection is improper, and the Applicant respectfully requests that the rejection be removed.

Claims 8, 9 and 12 depend from Claim 7 and are allowable due to their dependence from an allowable base claim. These claims are also allowable for their own recited features that, in combination with those recited in Claim 7, are neither disclosed nor suggested in references of record, either singly or in combination with one another.

Claim 13 recites calibrating a cluster of printers comprising:

- printing a calibration target with each printer in the cluster;
- measuring each calibration target to produce measurement data;
- calculating transfer functions for each primary color and for each printer in the cluster;
- determining a least dynamic printer in the cluster with respect to each primary color;
- calculating corrected input values required to normalize output of non-least dynamic printers in the cluster to the least dynamic printer in each cluster with respect to each primary color;
- organizing the corrected input values into look-up tables; and
- sending the look-up tables to each printer within the cluster for inclusion in a color data flow.

Due to similarities between Claims 1, 4, 7 and 13, the remarks with respect to the rejection of Claims 1, 4 and 7 are incorporated herein by references.

Response to Office Action Dated 11/03/2005

1

9

11

8

12 13

14

15

16 17

19

18

21

20

23

22

24 25 The Patent Office suggests that columns 9—11 disclose determining a least dynamic printer. However, Lin does not disclose determining a least dynamic printer, generally. More specifically, Lin does not disclose determining a least dynamic printer with respect to each (or any) primary color(s). The discussion of primary colors by Lin does not constitute a determination of a least dynamic printer in the cluster with respect to each primary color. Instead, Lin is mapping non-reference printers to the reference printer for each color. This is not "determining a least dynamic printer in the cluster with respect to each primary color".

Therefore, the Lin reference fails to disclose elements recited in the Applicant's claim. Accordingly, the section 102 rejection is improper, and the Applicant respectfully requests that the rejection be removed.

Claim 15 recites a cluster of printers comprising:

- at least two printers;
- a transfer function calculator to derive a transfer function for each printer with respect to at least one color;
- a least dynamic response selector to determine a least dynamic printer from within the cluster of printers for at least one color;
- a normalizer for calculation of corrected input values required to normalize more dynamic printers' output with respect to the least dynamic printer; and
- a look-up table assembler to organize the corrected input values into look-up tables.

Response to Office Action Dated 11/03/2005

Due to similarities between Claims 1, 4, 7, 13 and 15, the remarks with respect to the rejection of Claims 1, 4, 7 and 13 are incorporated herein by references.

Claim 15 recites "a least dynamic response selector to determine a least dynamic printer from within the cluster of printers for at least one color." Lin, who does not disclose "least dynamic response" also does not disclose a selector for this function.

The Patent Office suggests that the selection of printer 30A indicates that Lin discloses a least dynamic response selector. However, nothing in Lin suggests or discloses the concept of a least dynamic response. In fact, the cited passage at column 9, lines 40—42 would make it appear the Lin simply picks one of the printers to be the reference (so that the other printers can be normalized to the selected reference printer). Nothing in Lin discloses selecting a reference printer that is a least dynamic reference printer. Moreover, nothing in Lin discloses selecting a reference printer that is a least dynamic reference printer from within the cluster of printers for at least one color.

Therefore, the Lin reference fails to disclose elements recited in the Applicant's claim. Accordingly, the Applicant respectfully requests that the rejection be removed.

Claim 16 depends from Claim 15 and is allowable due to its dependence from an allowable base claim. This claim is also allowable for its own recited features that, in combination with those recited in Claim 1, are neither disclosed

3

5

6

10

11

12

13

14

15

16

17

18

19

20

21

22

23

S/N 09/824,903

Response to Office Action Dated 11/03/2005

nor suggested in references of record, either singly or in combination with one another.

Claims 17—19 were rejected as corresponding to Claims 7—12. Accordingly, the Applicant respectfully traverses the rejection, and incorporates by reference the arguments of Claims 7—12.

Claims 20—21 were rejected as corresponding to Claims 15—16. Accordingly, the Applicant respectfully traverses the rejection, and incorporates by reference the arguments of Claims 15—16.

Traversal of the §103 Rejections

Claims 10, 11, 14 and 22 stand rejected under 35 U.S.C. §103(a) as being obvious over Lin in view of U.S. Pat. No. 6,172,771 hereinafter "Ikeda." In response, the Applicant respectfully traverses the rejection.

The Ikeda reference fails to remedy the failings of Lin. In particular, Ikeda fails to disclose, "determining a least dynamic printer in the cluster." Because Ikeda fails to remedy the failings of the Lin reference, the rejection of claims 7, 13 and 20, from which claims 10, 11, 14 and 22 depend, is improper.

Therefore, because Claims 10, 11, 14 and 22 depend from Claims 7, 13 or 20, these claims are allowable due to their dependence from an allowable base claim. These claims are also allowable for their own recited features that, in combination with those recited in their respective base claims, are neither

24

25

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

S/N 09/824,903

Response to Office Action Dated 11/03/2005

disclosed nor suggested in references of record, either singly or in combination with one another.

Therefore, even in combination, the Lin and Ikeda references fail to disclose elements recited in the Applicant's claim. Accordingly, the section 103 rejection is improper, and the Applicant respectfully requests that the rejection be removed.

Traversal of the Patent Office's Response to Applicant's Arguments

The Patent Office makes the point that any printer (30A-C) can be selected as the reference printer, and that the selection may result in the selection of the least dynamic printer.

However, the Applicant respectfully points out that selecting the least dynamic printer by chance is not the same thing as a method step reciting "determining a least dynamic printer in the cluster". Thus, while Lin discloses selecting a reference printer, Lin does not disclose the step of determining a least dynamic printer in the cluster. Thus, the Applicant respectfully submits that Lin fails to show the elements recited by the independent claims.

Conclusion

The Applicant submits that all of the claims are in condition for allowance and respectfully requests that a Notice of Allowability be issued. If the Office's next anticipated action is not the issuance of a Notice of Allowability, the Applicant respectfully requests that the undersigned attorney be contacted for scheduling an interview.

Response to Office Action Dated 11/03/2005

18

19

20

21

22

23

24

25

Respectfully Submitted,

By:

David S. Thompson Reg. No. 37,954 Attorney for Applicant

LEE & HAYES PLLC Suite 500 421 W. Riverside Avenue Spokane, Washington 99201 Telephone: 509-324-9256 x235 Facsimile: (509) 323-8979